# Pharmacy Refrigerator LX3005PR

**Email:** info@labdex.com **website:** www.labdex.com

## Description

Pharmacy Refrigerator LX3005PR designed with digital display control panel ensure the temperature display accurately in 0.1℃ with a micro-processor controlled function. Automated defrost cycles facilitate frost-free storage interiors. Dual thermal-glazed insulation with magnetic seal rings ensures low energy consumption. System alarms include temperature limits, door ajar, low voltage and power off conditions.

## Specifications

| | |
|---|---|
| **Capacity** | 1006 L |
| **Shelf/drawer** | Shelves/10 |
| **Cooling method** | Forced air cooling |
| **Defrost** | Auto |
| **Refrigerant** | R600a |
| **Noise** | 53 (db) |
| **Ambient temperature** | 10~32 ℃ |
| **Temperature range** | 2~8 ℃ |
| **Sensor type** | NTC |
| **Temperature controller** | Microprocessor |
| **Display** | Digital display |
| **Inside material** | Color sprayed steel |
| **Outside material** | Color sprayed steel |
| **Insulation** | PURF |
| **Power consumption** | 6.23 (kWh/24h) |
| **Power** | 425 W |
| **Current** | 2.4A |
| **Voltage/Frequency** | 220V/50Hz |
| **Interior size (W x D x H)** | 1100 x 684 x 1325 mm |

| | |
|---|---|
| **Exterior size (W x D x H)** | 1240 x 820 x 1900 mm |
| **Package size (W x D x H)** | 1340 x 950 x 2000 mm |
| **Net weight** | 190 kgs |
| **Gross weight** | 220 kgs |

## Features

- Build with Color sprayed steel
- Micro-processor controlled function with digital display
- Designed with forced air cooling system
- It has ten shelves with shelves height adjustable function
- 3 standard locks with keys for 3 doors
- LED interior light
- Double layer LOW-E glass door and foamed solid door for optional
- It has various type of alarm function such as High/low temperature, Power failure, Thermostat failure, Power failure backup system, and Door ajar
- Auto defrost function

## Applications

- Used for storage of biological products, vaccines, drugs, reagents, and more. User can apply the pharmacy refrigerator in pharmaceutical factories, hospital, centers for disease prevention and control, clinics etc.

## Standard Accessories

- Foot
- Door Lock
- Lamp

## Optional Accessories

- Chart recoder
- USB port
- Test hole

**71-75 Shelton Street Covent Garden, London WC2H 9JQ UK.**
**Email: info@labdex.com | Website: www.labdex.com**